

MATERIAL SAFETY DATA SHEET

PinkSeal End Cut

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: PinkSeal End Cut
Product Number: EC6000
Product Use: Paint.
Manufacturer/Supplier: Cano Coatings Inc.
36 Industry Way SE
Calgary, AB, T3S 0A2
Phone Number: (403) 279-6420
Emergency Phone: 1-403-279-6420 (Time zone: Mountain Time)
US/Canada Hours of operation: 8AM to 4PM
Date of Preparation: August 23, 2013

Section 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION

MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. MAY CAUSE CANCER.

Potential Health Effects: See Section 11 for more information.

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Eye: May cause eye irritation.

Skin: May cause skin irritation.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Inhalation: May cause respiratory tract irritation.

Chronic Effects: Contains ingredients known or suspected to be carcinogenic.

Signs and Symptoms: Symptoms may include discomfort or pain, excess blinking and tear production. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Medical Conditions Aggravated By Exposure: Asthma. Allergies.

Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

Potential Environmental Effects: May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredient | CAS # | Wt. % |
|--|------------|-----------|
| Titanium dioxide | 13463-67-7 | 5 - 10 |
| Kaolin | 1332-58-7 | 5 - 10 |
| Mica | 12001-26-2 | 5 - 10 |
| Ethene, homopolymer, oxidized | 68441-17-8 | 1 - 5 |
| Amides, tallow, hydrogenated, ethoxylated | 68155-24-8 | 1 - 5 |
| 9-Octadecenamide, N,N'-1,2-ethanediybis-, (Z,Z)- | 110-31-6 | 0.5 - 1.5 |
| Silica, amorphous, fumed | 7631-86-9 | 0.5 - 1.5 |
| Amides, coco, N,N-bis(hydroxyethyl) | 68603-42-9 | 0.1 - 1.0 |
| Silica, crystalline, quartz | 14808-60-7 | 0.1 - 1.0 |

MATERIAL SAFETY DATA SHEET

PinkSeal End Cut

Section 4: FIRST AID MEASURES

- Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
- Skin Contact:** In case of contact, immediately flush skin with plenty of water. Call a physician if irritation develops and persists.
- Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
- Ingestion:** DO NOT induce vomiting. If victim is conscious and alert, give 2 cupfuls of water. Never give anything by mouth to an unconscious person. Seek medical attention or call poison control immediately.
- General Advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).
- Note to Physicians:** Symptoms may not appear immediately.

Section 5: FIRE FIGHTING MEASURES

- Flammability:** Not flammable by WHMIS criteria.
- Means of Extinction:**
- Suitable Extinguishing Media:** Powder, water spray, foam, carbon dioxide.
 - Unsuitable Extinguishing Media:** Not available.
- Products of Combustion:** May include, and are not limited to: oxides of carbon.
- Explosion Data:**
- Sensitivity to Mechanical Impact:** Not available.
 - Sensitivity to Static Discharge:** Not available.
- Protection of Firefighters:** Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
- Environmental Precautions:** Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.
- Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
- Methods for Clean-Up:** Scoop up material and place in a disposal container. Provide ventilation.
- Other Information:** Not available.

Section 7: HANDLING AND STORAGE

- Handling:**
- Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Handle and open container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking.

MATERIAL SAFETY DATA SHEET

PinkSeal End Cut

Storage:

Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place. Store in a cool place.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Ingredient

Titanium dioxide

Kaolin

Mica

Ethene, homopolymer, oxidized

Amides, tallow, hydrogenated, ethoxylated

9-Octadecenamide, N,N'-1,2-ethanediylbis-, (Z,Z)-

Silica, amorphous, fumed

Amides, coco, N,N-bis(hydroxyethyl)

Silica, crystalline, quartz

Exposure Limits

ACGIH-TLV

10 mg/m³

2 mg/m³

10 mg/m³ (total); 3 mg/m³ (resp)

Not available.

Not available.

Not available.

10 mg/m³

Not available.

0.025 mg/m³

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment:

Eye/Face Protection: Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations: Handle according to established industrial hygiene and safety practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Slightly viscous liquid.

Colour: Pink.

Odour: Not available.

Odour Threshold: Not available.

Physical State: Liquid.

pH: 7.5-8.5

Viscosity: Not available.

Freezing Point: ~ 0 °C (~ 32 °F)

Boiling Point: ~ 100 °C (~ 212 °F)

Flash Point: Not available.

Evaporation Rate: Not available.

Lower Flammability Limit: Not available.

Upper Flammability Limit: Not available.

Vapor Pressure: Not available.

MATERIAL SAFETY DATA SHEET

PinkSeal End Cut

| | |
|---|----------------|
| Vapor Density: | Not available. |
| Specific Gravity: | 1.28 |
| Solubility in Water: | Not available. |
| Coefficient of Water/Oil Distribution: | Not available. |
| Auto-ignition Temperature: | Not available. |
| Percent Volatile, wt. %: | 53% |
| VOC content, wt. %: | Not available. |

Section 10: STABILITY AND REACTIVITY

Stability: Stable under normal storage conditions.

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: None known.

Hazardous Decomposition Products: May include, and are not limited to: oxides of carbon.

Possibility of Hazardous Reactions: No dangerous reaction known under conditions of normal use.

Section 11: TOXICOLOGY INFORMATION

EFFECTS OF ACUTE EXPOSURE

Component Analysis

| Ingredient | LD₅₀ (oral) | LC₅₀ |
|--|---------------------------------------|------------------------|
| Titanium dioxide | > 10000 mg/kg, rat | Not available. |
| Kaolin | Not available. | Not available. |
| Mica | Not available. | Not available. |
| Ethene, homopolymer, oxidized | > 2500 mg/kg, rat | Not available. |
| Amides, tallow, hydrogenated, ethoxylated | Not available. | Not available. |
| 9-Octadecenamide, N,N'-1,2-ethanediybis-, (Z,Z)- | Not available. | Not available. |
| Silica, amorphous, fumed | > 5000 mg/kg rat 12400 µL/kg, rat; | ≥ 58.8 mg/L 1hr, rat |
| Amides, coco, N,N-bis(hydroxyethyl) | 2700 mg/kg, rat | Not available. |
| Silica, crystalline, quartz | 500 mg/kg, rat | Not available. |

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production.

Skin: May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Inhalation: May cause respiratory tract irritation.

EFFECTS OF CHRONIC EXPOSURE

Target Organs: Not available.

Chronic Effects: Hazardous by WHMIS criteria.

Carcinogenicity: Hazardous by WHMIS criteria.

MATERIAL SAFETY DATA SHEET

PinkSeal End Cut

| Ingredient | Chemical Listed as Carcinogen or Potential Carcinogen * |
|--|--|
| Titanium dioxide | G-A4, I-2B |
| Kaolin | G-A4 |
| Mica | Not listed. |
| Ethene, homopolymer, oxidized | Not listed. |
| Amides, tallow, hydrogenated, ethoxylated | Not listed. |
| 9-Octadecenamide, N,N'-1,2-ethanediybis-, (Z,Z)- | Not listed. |
| Silica, amorphous, fumed | I-3 |
| Amides, coco, N,N-bis(hydroxyethyl) | I-2B |
| Silica, crystalline, quartz | G-A2, I-1, N-1 |

* See Section 15 for more information.

Mutagenicity: Not hazardous by WHMIS criteria.

Reproductive Effects: Not hazardous by WHMIS criteria.

Developmental Effects:

Teratogenicity: Not hazardous by WHMIS criteria.

Embryotoxicity: Not hazardous by WHMIS criteria.

Respiratory Sensitization: Not hazardous by WHMIS criteria.

Skin Sensitization: Not hazardous by WHMIS criteria.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: May cause long-term adverse effects in the aquatic environment.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

Section 14: TRANSPORTATION INFORMATION

TDG Classification

Not regulated

Section 15: REGULATORY INFORMATION

Federal Regulations

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

MATERIAL SAFETY DATA SHEET

PinkSeal End Cut

Global Inventories

Ingredient

Canada DSL/NDSL

| | |
|---|-----|
| Titanium dioxide | DSL |
| Kaolin | DSL |
| Mica | DSL |
| Ethene, homopolymer, oxidized | DSL |
| Amides, tallow, hydrogenated, ethoxylated | DSL |
| 9-Octadecenamide, N,N'-1,2-ethanediylbis-, (Z,Z)- | DSL |
| Silica, amorphous, fumed | DSL |
| Amides, coco, N,N-bis(hydroxyethyl) | DSL |
| Silica, crystalline, quartz | DSL |

HMS - Hazardous Materials Identification System

Health - 1* Flammability - 0 Physical Hazard - 0 PPE – B

NFPA - National Fire Protection Association:

Health - 1 Fire - 0 Reactivity - 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

WHMIS Classification(s):

- Class D2A - Carcinogenicity
- Class D2A - Chronic Toxic Effects
- Class D2B - Skin/Eye Irritant

WHMIS Hazard Symbols:



SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

- ACGIH (G)** American Conference of Governmental Industrial Hygienists.
A1 - Confirmed human carcinogen.
A2 - Suspected human carcinogen.
A3 - Animal carcinogen.
A4 - Not classifiable as a human carcinogen.
A5 - Not suspected as a human carcinogen.
- IARC (I)** International Agency for Research on Cancer.
1 - The agent (mixture) is carcinogenic to humans.
2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.
- NTP (N)** National Toxicology Program.
1 - Known to be carcinogens.
2 - Reasonably anticipated to be carcinogens.

MATERIAL SAFETY DATA SHEET

PinkSeal End Cut

Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Expiry Date: August 23, 2016

Version #: 1.0

Prepared by: Nexreg Compliance Inc.
Phone: (519) 488-5126
www.nexreg.com